



AUTHORIZATION TO MARK

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	Fiberoptics Technology Inc	Manufacturer:	Fiberoptics Technology Inc
Address:	1 Quassett Rd Pomfret, CT 06258	Address:	1 Quassett Rd Pomfret, CT 06258
Country:	USA	Country:	USA
Contact:	Mr. Walter Seagrave	Contact:	Mr. Walter Seagrave
Phone:	(860) 928-0443 ext. 125	Phone:	(860) 928-0443 ext. 125
FAX:	N/A	FAX:	N/A
Email:	wseagrave@fiberoptix.com	Email:	wseagrave@fiberoptix.com

Party Authorized To Apply Mark: Same as Manufacturer
Report Issuing Office: Lake Forest

Control Number: 3189550 **Authorized by:** *Steven Condie*
for William T. Starr, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
165 Main Street, Cortland, NY 13045
Telephone 800-345-3851 or 607-753-6711 Fax 607-756-6699

Standard(s):	Standard for Safety for Portable Electric Luminaire (UL 153, Issued: 03/25/2002, Ed: 12, Rev:07/24/2009) & Standard for Safety for Light Emitting Diode (LED) Equipment for Use in Lighting Products (UL 8750 First Edition, Dated November 18, 2009, with revisions through and including 11/1/2011).
Product:	LED fiber optic light source
Models:	LO-100



AUTHORIZATION TO MARK

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	Fiber Optic Technologies	Manufacturer:	Fiber Optic Technologies
Address:	1 Quasett Rd Pomfret, CT 06258	Address:	1 Quasett Rd Pomfret, CT 06258
Country:	USA	Country:	USA
Contact:	Steve Giamundo	Contact:	Steve Giamundo
Phone:	(860) 928-0443	Phone:	(860) 928-0443
FAX:	N/A	FAX:	N/A
Email:	sgiamundo@fiberoptix.com	Email:	sgiamundo@fiberoptix.com

Party Authorized To Apply Mark: Same as Manufacturer
Report Issuing Office: Lake Forest CA

Control Number: 3189550 **Authorized by:** *Steven Condie*
for William T. Starr, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
165 Main Street, Cortland, NY 13045
Telephone 800-345-3851 or 607-753-6711 Fax 607-756-6699

Standard(s):	Standard for Safety for Portable Electric Luminaires, UL 153 Twelfth Edition, Dated March 25, 2002, Revision February 23, 2010.
Product:	Portable Electric Luminaires
Models:	SOL-R150DC, -DL, -DR



AUTHORIZATION TO MARK

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	Fiber Optic Technologies	Manufacturer:	Fiber Optic Technologies
Address:	1 Quasett Rd Pomfret, CT 06258	Address:	1 Quasett Rd Pomfret, CT 06258
Country:	USA	Country:	USA
Contact:	Steve Giamundo	Contact:	Steve Giamundo
Phone:	(860) 928-0443	Phone:	(860) 928-0443
FAX:	N/A	FAX:	N/A
Email:	sgiamundo@fiberoptix.com	Email:	sgiamundo@fiberoptix.com

Party Authorized To Apply Mark: Same as Manufacturer
Report Issuing Office: Lake Forest CA

Control Number: 3189550 **Authorized by:** *Steven Condie*
for William T. Starr, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
165 Main Street, Cortland, NY 13045
Telephone 800-345-3851 or 607-753-6711 Fax 607-756-6699

Standard(s):	Standard for Safety for Portable Electric Luminaires, UL 153 Twelfth Edition, Dated March 25, 2002, Revision February 23, 2010. Standard for Portable Luminaires - CSA C22.2 No. 12 - Issue:1982/02/01 Ed:4 (R2008) General Instruction No 1-5
Product:	Portable Electric Luminaires
Models:	FO 35-75W Series, M0150



AUTHORIZATION TO MARK

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant: Fiberoptics Technology, Inc.
Address: 1 Quasett Rd.
Pomfet, CT 06258
Country: USA
Contact: Mr. Walter Seagrave
Phone: (860) 928-0443
FAX: (860) 928-7664
Email: wseagrave@fiberoptix.com

Manufacturer: Fiberoptics Technology, Inc.
Address: 1 Quasett Rd.
Pomfet, CT 06258
Country: USA
Contact: Mr. Walter Seagrave
Phone: (860) 928-0443
FAX: (860) 928-7664
Email: wseagrave@fiberoptix.com

Party Authorized To Apply Mark: Same as Manufacturer
Report Issuing Office: NYM

Control Number: 3189550

Authorized by: *Patricia Swered*
William T. Starr, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
165 Main Street, Cortland, NY 13045
Telephone 800-345-3851 or 607-753-6711 Fax 607-756-6699

Standard(s):	CAN/CSA-C22.2 No. 601.1-M90 - "Medical Electrical Equipment Part 1: General Requirements for Safety" CENELEC EN 60601-1: 1990 + A1: 1992 + A2: 1995 - "Medical Electrical Equipment Part 1: General Requirements for Safety" UL 60601-1, First Edition, 2003 - "Medical Electrical Equipment Part 1: General Requirements for Safety" IEC 60601-1 (1988), 2nd Edition, "Medical Electrical Equipment, Part 1: General Requirements for Safety" + A1(91) + A2(95)
Product:	Fiber Optic Light Source
Brand Name:	N/A
Models:	LO-50



AUTHORIZATION TO MARK

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	Fiber Optic Technologies	Manufacturer:	Vega International d.o.o
Address:	1 Quasett Rd Pomfret, CT 06258	Address:	Cesta 24, junija 23 Ljubljana - Crnuce
Country:	USA	Country:	Slovenia
Contact:	Steve Giamundo	Contact:	Miran Plešec
Phone:	(860) 928-0443	Phone:	386-1-589-05-11
FAX:	N/A	FAX:	
Email:	sgiamundo@fiberoptix.com	Email:	

Party Authorized To Apply Mark: Same as Manufacturer
Report Issuing Office: Lake Forest CA

Control Number: 4000041 **Authorized by:** *Steven Condie*
for William T. Starr, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
165 Main Street, Cortland, NY 13045
Telephone 800-345-3851 or 607-753-6711 Fax 607-756-6699

Standard(s):	Standard for Safety for Portable Electric Luminaires, UL 153 Twelfth Edition, Dated March 25, 2002, Revision February 23, 2010. Standard for Portable Luminaires - CSA C22.2 No. 12 - Issue:1982/02/01 Ed:4 (R2008) General Instruction No 1-5
Product:	Portable Electric Luminaires
Models:	FO 35-75W Series, M0150